



1806

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Tatsuo SATO

Group Art Unit: 2851

Application No.: 09/731,669 ✓

Examiner: H. Nguyen

Filed: December 8, 2000 ✓

Docket No.: 108079

For: GAS REPLACEMENT METHOD AND APPARATUS, AND
EXPOSURE METHOD AND APPARATUSINFORMATION DISCLOSURE STATEMENTDirector of the U.S. Patent and Trademark Office
Washington, D.C. 20231

Sir:

Pursuant to 37 CFR §1.56, the attention of the Patent and Trademark Office is hereby directed to the reference(s) listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the reference(s) be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

- ☒ 1. This Information Disclosure Statement is being filed more than three months after the U.S. filing date AND after the mailing date of the first Office Action on the merits, but before the mailing date of a Final Rejection or Notice of Allowance.
- ☒ a. Attached is our check no. 135778 in the amount of \$180.00 in payment of the fee under 37 CFR §1.17(p). Please credit or debit Deposit Account No. 15-0461 as needed to ensure consideration of the disclosed information. Two duplicate copies of this paper are attached.
- ☒ 2. An English-language translation and two partial English-language translations of the non-English language references are attached hereto.

10/30/2002 BSAYAS11 00000154 09731669

02 FC:1806

180.00 DP

Respectfully submitted,

Mario A. Costantino

Registration No. 33,565

Klifton L. Kime

Registration No. 42,733

MAC:KLK/dmw

Date: October 28, 2002

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

**DEPOSIT ACCOUNT USE
AUTHORIZATION**

Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

#12
11-5-02
RECEIVED
OCT 31 2002
TECHNOLOGY CENTER 2800